

Морозильные камеры и витрины для мороженого UNI-S

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: edu@nt-rt.ru || сайт: <https://elcold.nt-rt.ru/>

UNI-S

LOW TEMP FREEZER FOR FROZEN FOOD



- Flat sliding glass lids
- Digital controller with thermometer and thermostat
- Castors
- Options:
 - Baskets
 - Dividers
 - Lock
 - Graphics (minimum quantity required)
 - Castors with brake

Model	Dimensions w*d*h	Energy class
UNI 11 S	725*655*916 mm	 C 
UNI 21 S	1055*655*916 mm	 D 
UNI 31 S	1305*655*916 mm	 C 

Low temperatures are often essential when you need to store special ice cream or special kind of food. The UNI-S offers a unique combination of -35 storage -and glass sliding lids with high visibility



UNI 31 S

| UNI-S |

LOW TEMP FREEZER FOR FROZEN FOOD

Low temperatures are often essential when you need to serve special ice cream or special kind of food. The UNI-S offers a unique combination of -35°C and glass sliding lids.

FEATURES

- Flat sliding glass lids
- Digital controller with thermometer and thermostat
- Castors
- Castors with brake
- Lock
- Options:
 - Baskets
 - Dividers
 - Graphics (minimum quantity required)



UNI 11 S





UNI 21 S



UNI 31 S





	UNI 11 S	UNI 21 S	UNI 31 S
CLIMATE CLASS			
	B	B	B
VOLUME			
Gross volume, litres	140	243	322
Net volume, litres	116	203	270
TEMPERATURE			
Ambient temperature range, deg. C	+10 to +30	+10 to +30	+10 to +30
Temperature range inside unit, deg. C	-10 to -35	-10 to -35	-10 to -35
COOLING DATA			
Refrigerant	R290	R290	R290
Refrigerant amount	65	74	81
Type of cooling	Static	Static	Static
Type of defrost	Manual	Manual	Manual
ENERGY			
Energy consumption kwh 24 h at 30 deg C	1,033	1,477	1,521
AEC- annual energy consumption , kwh	377	539	555
EEL- Energyefficiency Index	n/a	n/a	n/a
EC- Energy class	n/a	n/a	n/a
ELECTRICAL DATA			
Power	220V/50Hz	220V/50hz	220V/50hz
Power 110volt / 60 hz	Optional	Optional	Optional
Power consumption, amperes	2,07	2,87	2,46
Input power (watt)	313	414	470
DIMENSIONS			
External dimensions (wxdxh)	725*655*865	1055*655*865	1305*655*865
Internal dimensions (wxdxh)	520*450*710	850*450*710	1100*450*710
Dimension A	725	1055	1305
Dimension B	655	655	655
Dimension C	916	916	916
Dimension D	780	780	780
Dimension E	520	850	1100
Dimension F	320	650	900
Dimension G	450	450	450
Dimension H	710	710	710
Dimension J	460	460	460
Dimension L	846	846	846
Insulation, mm	100	100	100
STANDARD			
Outer cabinet	White galv. Steel	White galv. Steel	White galv. Steel
Inner cabinet	Steel inner liner	Steel inner liner	Steel inner liner
Insulation	Polyurethane	Polyurethane	Polyurethane
Digital controller w. acoustic alarm	Incl.	Incl.	Incl.
Thermostat- included in controller	Incl.	Incl.	Incl.
Potential free contact for remote alarm	Incl.	Incl.	Incl.
Castors - two of four w. brakes	Incl.	Incl.	Incl.
Lock	Incl.	Incl.	Incl.
OPTIONS			
Max. Number of baskets (KURVUNI01)	2	3	4
Dividers	Optional	Optional	Optional
Internal light	n/a	n/a	n/a
Graphics	Optional	Optional	Optional
APPROVALS			
CE(EU), UL (USA)	yes	yes	yes
WEIGHT			
Net weight, kg	46	59	67
Gross weight, kg	49	62	71
SHIPPING			
20' cont. Capacity	42	30	24
40' cont. Capacity	90	64	50
Standard Trailer capacity	102	74	60

*) Climate class 4 has been changed into Climate class A according to the new EU regulation.

*) Climate class 7 has been changed into Climate class B according to the new EU regulation.

*) Climate class 5 has been changed into Climate class C according to the new EU regulation.



UNI-S 31

| UNI-S |

LOW TEMPERATURE DISPLAY FREEZER

FEATURES

- Flat sliding glass lids
- Digital controller with thermometer and thermostat
- Castors
- Options:
 - Baskets
 - Dividers
 - Lock
 - Graphics (minimum quantity required)
 - Castors with brake

Low temperatures are often essential when you need to store special ice cream or special kind of food. With this freezer you get the best guarantee to maintain the desired low temperature.

The UNI-S range from Elcold offers temperatures down to -32 °F degree at a constant level and monitored on the digital display.



UNI-S 11




UNI-S 21



UNI-S 31





	UNI S 11	UNI S 21	UNI S 31
VOLUME			
Gross volume, cu. ft	5.0	8.7	11.5
Net volume, cu.ft	4.1	7.3	9.6
TEMPERATURE			
Amb. Temp. range deg. F	+50 to +86	+50 to +86	+50 to +86
Temperature range inside unit	+14 to -32	+14 to -32	+14 to -32
COOLING DATA			
Refrigerant: R290	Yes	Yes	Yes
Refrigerant amount, oz	1.93	2.27	2.84
Type of cooling	Static	Static	Static
Type of defrost	Manual	Manual	Manual
ENERGY			
Energy consumption/24 h (kwh)	3,4	4,6	5,4
Input power (watt):	260	310	330
ELECTRICAL DATA			
Power 110volt / 60 hz	Yes	Yes	Yes
DIMENSIONS			
External dimensions (wxdxh)	28.5x25.8x34.1	41.5x25.8x34.1	51.4x25.8x34.1
Internal dimensions (wxdxh)	20.5x17.7x25.6	33.5x17.7x25.6	35.4x17.7x25.6
Dimension A	28.5	41.5	51.4
Dimension B	25.8	25.8	25.8
Dimension C	34.1	34.1	34.1
Dimension D	30.7	30.7	30.7
Dimension E	20.5	33.5	43.3
Dimension F	12.6	25.6	35.4
Dimension G	17.7	17.7	17.7
Dimension H	25.6	25.6	25.6
Dimension J	15.7	15.7	15.7
Dimension L	33.5	33.5	33.5
Insulation, mm	3.9	3.9	3.9
STANDARD			
Outer cabinet	White	White	White
Inner cabinet	Steel inner liner	Steel inner liner	Steel inner liner
Insulation	Polyurethane	Polyurethane	Polyurethane
Digital controller w. acoustic alarm	Included	Included	Included
Thermostat	Digital	Digital	Digital
Potential free contact for external alarm	Included	Included	Included
Lock	Included	Included	Included
Feet	Included	Included	Included
OPTIONS			
Dividers	Optional	Optional	Optional
Max. number of baskets	2	3	4
Castors	Optional	Optional	Optional
Castors w. brakes	Optional	Optional	Optional
Graphics	Optional	Optional	Optional
APPROVALS			
UL, DOE, NSF	yes	yes	yes
WEIGHT			
Net weight, (lbs)	101	130	147
Gross weight, (lbs)	108	136	156
SHIPPING			
20' cont. Capacity	42	30	24
40' cont. Capacity	90	64	50

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: edu@nt-rt.ru || сайт: <https://elcold.nt-rt.ru/>